

BUIO R

Maurici Ginés / 2023



A new spring mechanism is used to install BUIO (TRIM version) in false ceilings, keeping its formal purity intact. Light that hides. A technical detail that offers new possibilities for taking precise and silent accent light wherever it is needed.

Un nuovo meccanismo a molla permette a BUIO (versione TRIM) di essere installato anche nei controsoffitti, mantenendo intatta la sua purezza formale.

La luce si nasconde. Un dettaglio tecnico che apre nuove possibilità, per portare la luce d'accento, precisa e silenziosa, ovunque sia necessaria.

BUIO R


Maurici Ginés / 2023

Recessed / Direct / Indoor

Material Metal
Finish .04 Matt Black

Luminaire UL certification pending. Available for CN market.

Apparecchio illuminante con certificazione UL in corso. Disponibile per mercato CN.




BUJO TRIM - 13°

Black filter
6,4W
24V DC
2700K - 93lm / 3000K - 93lm
CRI >90
Beam 13°
UGR <19
Driver not included
CE IP65/IP67

Matt Black - 2700K
Matt Black - 3000K

1A5120400.27.20
1A5120400.30.20



BUJO TRIM - 25°


Black filter
6,4W
24V DC
2700K - 158lm / 3000K - 158lm
CRI >90
Beam 25°
UGR <19
Driver not included
CE IP65/IP67

Matt Black - 2700K
Matt Black - 3000K

1A5140400.27.20
1A5140400.30.20

Maurici Ginés / 2023

BUIO R



BUJO TRIM - 32°

Black filter
6,4W
24V DC
2700K - 144lm / 3000K - 144lm
CRI >90
Beam 32°
UGR <19
Driver not included
CE IP65/IP67

Matt Black - 2700K
Matt Black - 3000K

1A5130400.27.20
1A5130400.30.20




BUJO TRIM ELLIPTICAL

Black filter
6,4W
24V DC
2700K - 91lm / 3000K - 91lm
CRI >90
UGR <19
Driver not included
CE IP65/IP67

Matt Black - 2700K
Matt Black - 3000K

1A5150400.27.20
1A5150400.30.20




BUIO TRIM - 13°

Transparent filter
 6,4W
 24V DC
 2700K - 247lm / 3000K - 247lm
 CRI >90
 Beam 13°
 UGR <19
 Driver not included



Matt Black - 2700K
 Matt Black - 3000K

1A5160400.27.20
 1A5160400.30.20




BUIO TRIM - 25°

Transparent filter
 6,4W
 24V DC
 2700K - 257lm / 3000K - 257lm
 CRI >90
 Beam 25°
 UGR <19
 Driver not included



Matt Black - 2700K
 Matt Black - 3000K

1A5180400.27.20
 1A5180400.30.20




BUIO TRIM - 32°

Transparent filter
 6,4W
 24V DC
 2700K - 297lm / 3000K - 297lm
 CRI >90
 Beam 32°
 UGR <19
 Driver not included



Matt Black - 2700K
 Matt Black - 3000K

1A5170400.27.20
 1A5170400.30.20



BUIO TRIM ELLIPTICAL

Transparent filter
 6,4W
 24V DC
 2700K - 233lm / 3000K - 233lm
 CRI >90
 UGR <19
 Driver not included



Matt Black - 2700K
 Matt Black - 3000K

1A5190400.27.20
 1A5190400.30.20


Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione



Ceiling spring / Molla da soffitto	Not included
Standard	1A6310000.00.00

Drivers / Alimentatori



Driver / Alimentatore	Not included
110-240V 24V/25W/IP67/ON/OFF	1Z1120620