


## DOT P

Omar Carraglia - Davide Groppi / 2015



**A tool to light.**

**A luminaire designed for use with state-of-the-art LED modules to offer superior performance and a wide range of light beams.**


Elemento di luce.

Un apparecchio progettato per utilizzare moduli a LED in grado di fornire prestazioni superiori ed un'ampia gamma di fasci luminosi.

Wall / Direct / Indoor


**Material** Metal  
**Finish** .03 Matt White .04 Matt Black

**Note** Adjustable luminaire.  
*Apparecchio orientabile.*




**DOT P**  
 13W  
 100-240V - 50/60Hz  
 2700K / 3000K  
 CRI 97  
 Driver included  
 Driver integrated  
 DALI  
**CE IP20**

Matt White - 2700K - DALI	1A2340300.27.01
Matt White - 3000K - DALI	1A2340300.30.01
Matt Black - 2700K - DALI	1A2340400.27.01
Matt Black - 3000K - DALI	1A2340400.30.01



**DOT P**  
 13W  
 100-240V - 50/60Hz  
 2700K / 3000K  
 CRI 97  
 Driver included  
 Driver integrated  
 PUSH  
**CE IP20**


Matt White - 2700K - PUSH	1A2340300.27.04
Matt White - 3000K - PUSH	1A2340300.30.04
Matt Black - 2700K - PUSH	1A2340400.27.04
Matt Black - 3000K - PUSH	1A2340400.30.04



**DOT P 51**  
 Max 10W - GU10  
 100-240V - 50/60Hz  
 Bulb not included  
 ON/OFF  
**CE IP20**


Matt White - ON/OFF	1A2490300.00.00
Matt Black - ON/OFF	1A2490400.00.00

The sizes are expressed in millimeters.



**DOT P DE**  
 Dual emission  
 29W  
 220-240V - 50/60Hz  
 2700K / 3000K  
 CRI 97  
 Driver included  
 Driver integrated  
 DALI  
**CE IP20**

Matt White - 2700K - DALI	1A4900300.27.01
Matt White - 3000K - DALI	1A4900300.30.01
Matt Black - 2700K - DALI	1A4900400.27.01
Matt Black - 3000K - DALI	1A4900400.30.01



**DOT P DE 51**  
 Dual emission  
 Max 2x10W - GU10  
 100-240V - 50/60Hz  
 Bulb not included  
 ON/OFF  
**CE IP20**

Matt White - ON/OFF	1A3810300.00.00
Matt Black - ON/OFF	1A3810400.00.00

**Compulsory accessories / Accessori obbligatori**

Other accessories / Altri accessori



Lens / Lente	Not included		
Beam - 14°	2700K - CRI 97 - 983lm	DOT P	1A3090000.00.00
	2700K - CRI 97 - 1966lm	DOT P DE	
	3000K - CRI 97 - 1038lm	DOT P	
	3000K - CRI 97 - 2076lm	DOT P DE	
Beam - 24°	2700K - CRI 97 - 943lm	DOT P	1A3100000.00.00
	2700K - CRI 97 - 1886lm	DOT P DE	
	3000K - CRI 97 - 996lm	DOT P	
	3000K - CRI 97 - 1992lm	DOT P DE	
Beam - 36°	2700K - CRI 97 - 955lm	DOT P	1A3110000.00.00
	2700K - CRI 97 - 1910lm	DOT P DE	
	3000K - CRI 97 - 1005lm	DOT P	
	3000K - CRI 97 - 2010lm	DOT P DE	
Beam - 50°	2700K - CRI 97 - 965lm	DOT P	1A3120000.00.00
	2700K - CRI 97 - 1930lm	DOT P DE	
	3000K - CRI 97 - 1016lm	DOT P	
	3000K - CRI 97 - 2032lm	DOT P DE	

**Optional accessories / Accessori opzionali**

Bulbs / Lampadine



LED - GU10 - PAR16	Not included		
220-240V - 5,5W - 25° - 3000K - 375lm - CRI 97 - Energy Efficiency G - Dimmable	DOT P 51	1Y0330500	



LED SORAA - GU10 - MR16	Not included		
230V - 7,5W - 10° - 2700K - 390lm - CRI 95 - Energy Efficiency G - Dimmable	DOT P 51 / DOT P DE 51	1Y1580210	




LED SORAA - GU10 - MR16	Not included		
230V - 7,5W - 10° - 3000K - 410lm - CRI 95 - Energy Efficiency G - Dimmable	DOT P 51 / DOT P DE 51	1Y1580010	


The sizes are expressed in millimeters.

**Optional accessories / Accessori opzionali**


Other accessories / Altri accessori




Accessory holder + Honeycomb louvre / Porta accessori + Frangiluce nido d'ape	Not included	
	DOT P / DOT P DE	1X0080400.01.00




Elliptical filter / Filtro ellittico	Not included	
Standard	DOT P / DOT P DE	1X0080000.02.00



Blue filter / Filtro blu	Not included	
Standard	DOT P / DOT P DE	1X0080000.03.00




Red filter / Filtro rosso	Not included	
Standard	DOT P / DOT P DE	1X0080000.04.00




Yellow filter / Filtro giallo	Not included	
Standard	DOT P / DOT P DE	1X0080000.05.00


Other accessories / Altri accessori



Darklight	Not included	
MR16	DOT P 51 / DOT P DE 51	51580040



25° beam filter / Filtro fascio 25°	Not included	
MR16	DOT P 51 / DOT P DE 51	51580020



36° beam filter / Filtro fascio 36°	Not included	
MR16	DOT P 51 / DOT P DE 51	51580030