

The sizes are expressed in millimeters.



DESIGN OMAR CARRAGLIA - 2006
LAMPADA A SOSPENSIONE - METALLO
SUSPENSION LAMP - METAL

MISS 1


 ENDLESS SYSTEM VERSION AVAILABLE


CE IP20

CEILING ROSE



1A2960300.27.00	BIANCO OPACO / MATT WHITE - 2700K - ON/OFF	100-240 V - 50/60 Hz - 5,6 W LED
1A2960300.30.00	BIANCO OPACO / MATT WHITE - 3000K - ON/OFF	2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2960400.27.00	NERO OPACO / MATT BLACK - 2700K - ON/OFF	CAVO BIANCO - ROSONE BIANCO
1A2960400.30.00	NERO OPACO / MATT BLACK - 3000K - ON/OFF	ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI WHITE CABLE - WHITE CEILING ROSE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED
1A2960800.27.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - ON/OFF	100-240 V - 50/60 Hz - 5,6 W LED
1A2960800.30.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - ON/OFF	2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2962600.27.00	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - ON/OFF	CAVO NERO - ROSONE NERO
1A2962600.30.00	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - ON/OFF	ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI BLACK CABLE - BLACK CEILING ROSE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED







DIMMABLE VERSIONS

1A2960300.27.01	BIANCO OPACO / MATT WHITE - 2700K - DALI	100-240 V - 50/60 Hz - 5,6 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90 CAVO BIANCO - ROSONE BIANCO - DIMMERABILE ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI WHITE CABLE - WHITE CEILING ROSE - DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED
1A2960300.30.01	BIANCO OPACO / MATT WHITE - 3000K - DALI	
1A2960300.27.02	BIANCO OPACO / MATT WHITE - 2700K - TRIAC	
1A2960300.30.02	BIANCO OPACO / MATT WHITE - 3000K - TRIAC	
1A2960300.27.03	BIANCO OPACO / MATT WHITE - 2700K - 1-10 V	
1A2960300.30.03	BIANCO OPACO / MATT WHITE - 3000K - 1-10 V	
1A2960300.27.04	BIANCO OPACO / MATT WHITE - 2700K - PUSH	
1A2960300.30.04	BIANCO OPACO / MATT WHITE - 3000K - PUSH	
1A2960400.27.01	NERO OPACO / MATT BLACK - 2700K - DALI	
1A2960400.30.01	NERO OPACO / MATT BLACK - 3000K - DALI	
1A2960400.27.02	NERO OPACO / MATT BLACK - 2700K - TRIAC	
1A2960400.30.02	NERO OPACO / MATT BLACK - 3000K - TRIAC	
1A2960400.27.03	NERO OPACO / MATT BLACK - 2700K - 1-10 V	
1A2960400.30.03	NERO OPACO / MATT BLACK - 3000K - 1-10 V	
1A2960400.27.04	NERO OPACO / MATT BLACK - 2700K - PUSH	
1A2960400.30.04	NERO OPACO / MATT BLACK - 3000K - PUSH	
1A2960800.27.01	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - DALI	100-240 V - 50/60 Hz - 5,6 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90 CAVO NERO - ROSONE NERO - DIMMERABILE ACCESSORI OPZIONALI KIT SOSPENSIONE NON INCLUSI BLACK CABLE - BLACK CEILING ROSE - DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT NOT INCLUDED
1A2960800.30.01	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - DALI	
1A2960800.27.02	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - TRIAC	
1A2960800.30.02	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - TRIAC	
1A2960800.27.03	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - 1-10 V	
1A2960800.30.03	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - 1-10 V	
1A2960800.27.04	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - PUSH	
1A2960800.30.04	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - PUSH	
1A2962600.27.01	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - DALI	
1A2962600.30.01	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - DALI	
1A2962600.27.02	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - TRIAC	
1A2962600.30.02	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - TRIAC	
1A2962600.27.03	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - 1-10 V	
1A2962600.30.03	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - 1-10 V	
1A2962600.27.04	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - PUSH	
1A2962600.30.04	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - PUSH	

CE IP20







CEILING ROSE




1A2970300.27.00	BIANCO OPACO / MATT WHITE - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2970300.30.00	BIANCO OPACO / MATT WHITE - 3000K - ON/OFF	CAVO BIANCO - ROSONE BIANCO
1A2970400.27.00	NERO OPACO / MATT BLACK - 2700K - ON/OFF	INSTALLAZIONE SU CARTONGESSO CON ROSONE PIANO E FISSAGGIO MAGNETICO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO
1A2970400.30.00	NERO OPACO / MATT BLACK - 3000K - ON/OFF	DIMENSIONI TAGLIO CARTONGESSO 85 x 97 mm - SPAZIO MINIMO PER INCASSO 120 mm DRIVER INDIPENDENTE INCLUSO INPUT 100-240 V - 50/60 Hz
		WHITE CABLE - WHITE CEILING ROSE
		INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
		PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz
1A2970800.27.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2970800.30.00	OTTONE SPAZZOLATO / BRUSHED BRASS - 3000K - ON/OFF	CAVO NERO - ROSONE NERO
1A2972600.27.00	NERO OPACO TOTALE / MATT TOTAL BLACK - 2700K - ON/OFF	INSTALLAZIONE SU CARTONGESSO CON ROSONE PIANO E FISSAGGIO MAGNETICO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO
1A2972600.30.00	NERO OPACO TOTALE / MATT TOTAL BLACK - 3000K - ON/OFF	DIMENSIONI TAGLIO CARTONGESSO 85 x 97 mm - SPAZIO MINIMO PER INCASSO 120 mm DRIVER INDIPENDENTE INCLUSO INPUT 100-240 V - 50/60 Hz
		BLACK CABLE - BLACK CEILING ROSE
		INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
		PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz




ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

1A0510000.00.00	STANDARD	KIT FISSAGGIO PER SOFFITTO INCLINATO - NICHELATO 1 PEZZO SLOPED CEILING FIXING KIT - NICKEL PLATED - 1 PIECE	
		COMPATIBLE LAMPS: QuiQuoQua - MASAI - FOSBURY - MOON 120 - SPY - SPY DE	
1A0520000.00.00	STANDARD	KIT FISSAGGIO PER ROSONE INCLINATO - NICHELATO 1 PEZZO SLOPED ROSE FIXING KIT - NICKEL PLATED - 1 PIECE	
		COMPATIBLE LAMPS: MOON 60 - MOON 60 DE - MOON 80	
1A0530000.00.00	STANDARD	GANCIO PER SOFFITTO INCLINATO - CROMATO 1 PEZZO SLOPED CEILING FIXING HOOK - CHROME PLATED - 1 PIECE	
		COMPATIBLE LAMPS: MERIDIANA - SIMBIOSI - SHANGHAI	
1A0360000.00.00	STANDARD	KIT DECENTRATORE / DECENTRALIZATION KIT	
		COMPATIBLE LAMPS: LED IS MORE - MISS 1 - MOON 60 - MOON 60 DE MOON 80 - MOON 120 - CATHODE 1	
1A0770300.00.00	BIANCO OPACO / MATT WHITE	KIT ROSONE + DECENTRATORE KIT CEILING ROSE + DECENTRALIZER CAVO BIANCO 3 m INCLUSO 3 m WHITE CABLE INCLUDED	
1A0770400.00.00	NERO OPACO / MATT BLACK	KIT ROSONE + DECENTRATORE KIT CEILING ROSE + DECENTRALIZER CAVO NERO 3 m INCLUSO 3 m BLACK CABLE INCLUDED	
1A3270300.00.00	BIANCO OPACO / MATT WHITE	BLOCCACAVO - 1 PEZZO CLAMP - 1 PIECE	
1A3270400.00.00	NERO OPACO / MATT BLACK		


1A051000.00.00 - KIT FISSAGGIO PER SOFFITTO INCLINATO / SLOPED CEILING FIXING KIT



1A052000.00.00 - KIT FISSAGGIO PER ROSONE INCLINATO / SLOPED ROSE FIXING KIT



1A053000.00.00 - GANCIO PER SOFFITTO INCLINATO / SLOPED CEILING FIXING HOOK



1A0770300.00.00 / 1A0770400.00.00 - KIT ROSONE + DECENTRATORE / KIT CEILING ROSE + DECENTRALIZER | 1A0360000.00.00 KIT DECENTRATORE / DECENTRALIZATION KIT

