

# MISS

Omar Carraglia / 2006



So slim and essential...

The fundamental concept of this project is minimalism.

A small tube that lights the table with wonder.

A real dual project: sign and light.

Luminaire available also in ENDLESS version.

Così esile ed essenziale...

L'essenzialità è la componente fondamentale di progetto.

Un piccolo tubo in metallo per fare una meravigliosa luce sul tavolo.


Un vero progetto duale: segno e luce.

Apparecchio illuminante disponibile anche nella versione ENDLESS.

Suspension / Direct / Indoor


<b>Material</b>	Metal			
<b>Finish</b>	<b>.03</b> Matt White	<b>.04</b> Matt Black	<b>.08</b> Brushed Brass	<b>.26</b> Total Black
<b>Note</b>	Suspension luminaire. Matt white rose and white cable for the matt white and matt black finish. Matt black rose and black cable for the total black and brushed brass finish. Single rose for more than one lamp on request. MISS 2: plasterboard version with magnetic fixing flat rose. MISS ENDLESS: luminaire dedicated to ENDLESS system (Max 48V DC - Max 150W - Max 4A). It can be used, on the same circuit, with the ENDLESS models.			

*Apparecchio illuminante a sospensione. Rosone bianco opaco e cavo bianco per la finitura bianco opaco e nero opaco. Rosone nero opaco e cavo nero per la finitura total black e ottone spazzolato. Rosone unico per più apparecchi su richiesta. MISS 2: versione per cartongesso con rosone piano a fissaggio magnetico. MISS ENDLESS: apparecchio illuminante dedicato al sistema ENDLESS (Max 48V DC - Max 150W - Max 4A) ed utilizzabile, sullo stesso circuito, con i modelli ENDLESS.*




**MISS 1**  
 Ceiling driver version  
 5,6W  
 100-240V - 50/60Hz  
 2700K - 290lm / 3000K - 310lm  
 CRI >90  
 Driver integrated  
 ON/OFF  
**CE IP20**

Matt White - 2700K - ON/OFF	1A2960300.27.00
Matt White - 3000K - ON/OFF	1A2960300.30.00
Matt Black - 2700K - ON/OFF	1A2960400.27.00
Matt Black - 3000K - ON/OFF	1A2960400.30.00
Brushed Brass - 2700K - ON/OFF	1A2960800.27.00
Brushed Brass - 3000K - ON/OFF	1A2960800.30.00
Total Black - 2700K - ON/OFF	1A2962600.27.00
Total Black - 3000K - ON/OFF	1A2962600.30.00




**MISS 1**  
 Ceiling driver version  
 6W  
 110-240V - 50/60Hz  
 2700K - 290lm / 3000K - 310lm  
 CRI >90  
 Driver integrated  
 DALI  
**CE IP20**

Matt White - 2700K - DALI	1A2960300.27.01
Matt White - 3000K - DALI	1A2960300.30.01
Matt Black - 2700K - DALI	1A2960400.27.01
Matt Black - 3000K - DALI	1A2960400.30.01
Brushed Brass - 2700K - DALI	1A2960800.27.01
Brushed Brass - 3000K - DALI	1A2960800.30.01
Total Black - 2700K - DALI	1A2962600.27.01
Total Black - 3000K - DALI	1A2962600.30.01




**MISS 1**  
 Ceiling driver version  
 6W  
 110-240V - 50/60Hz  
 2700K - 290lm / 3000K - 310lm  
 CRI >90  
 Driver integrated  
 PUSH  
**CE IP20**

Matt White - 2700K - PUSH	1A2960300.27.04
Matt White - 3000K - PUSH	1A2960300.30.04
Matt Black - 2700K - PUSH	1A2960400.27.04
Matt Black - 3000K - PUSH	1A2960400.30.04
Brushed Brass - 2700K - PUSH	1A2960800.27.04
Brushed Brass - 3000K - PUSH	1A2960800.30.04
Total Black - 2700K - PUSH	1A2962600.27.04
Total Black - 3000K - PUSH	1A2962600.30.04




**MISS 1**  
 Ceiling driver version  
 6W  
 110-240V - 50/60Hz  
 2700K - 290lm / 3000K - 310lm  
 CRI >90  
 Driver integrated  
 1-10V  
**CE IP20**

Matt White - 2700K - 1-10V	1A2960300.27.03
Matt White - 3000K - 1-10V	1A2960300.30.03
Matt Black - 2700K - 1-10V	1A2960400.27.03
Matt Black - 3000K - 1-10V	1A2960400.30.03
Brushed Brass - 2700K - 1-10V	1A2960800.27.03
Brushed Brass - 3000K - 1-10V	1A2960800.30.03
Total Black - 2700K - 1-10V	1A2962600.27.03
Total Black - 3000K - 1-10V	1A2962600.30.03



**MISS 1**  
 Ceiling driver version  
 6W  
 110-240V - 50/60Hz  
 2700K - 290lm / 3000K - 310lm  
 CRI >90  
 Driver integrated  
 TRIAC/IGBT  
**CE IP20**

Matt White - 2700K - TRIAC/IGBT	1A2960300.27.02
Matt White - 3000K - TRIAC/IGBT	1A2960300.30.02
Matt Black - 2700K - TRIAC/IGBT	1A2960400.27.02
Matt Black - 3000K - TRIAC/IGBT	1A2960400.30.02
Brushed Brass - 2700K - TRIAC/IGBT	1A2960800.27.02
Brushed Brass - 3000K - TRIAC/IGBT	1A2960800.30.02
Total Black - 2700K - TRIAC/IGBT	1A2962600.27.02
Total Black - 3000K - TRIAC/IGBT	1A2962600.30.02




**MISS 2**

Remote driver version  
4W  
Max 350mA DC  
2700K - 290lm / 3000K - 310lm  
CRI >90  
Driver not included



Matt White - 2700K  
Matt White - 3000K  
Matt Black - 2700K  
Matt Black - 3000K  
Brushed Brass - 2700K  
Brushed Brass - 3000K  
Total Black - 2700K  
Total Black - 3000K

1A2970300.27.20  
1A2970300.30.20  
1A2970400.27.20  
1A2970400.30.20  
1A2970800.27.20  
1A2970800.30.20  
1A2972600.27.20  
1A2972600.30.20



**MISS ENDLESS**

Endless version only  
5,5W - 0,14A  
48V DC - 50/60Hz  
2700K - 290lm / 3000K - 310lm  
CRI >90  
Driver not included  
See page ENDLESS




Matt White - 2700K  
Matt White - 3000K  
Matt Black - 2700K  
Matt Black - 3000K  
Brushed Brass - 2700K  
Brushed Brass - 3000K  
Total Black - 2700K  
Total Black - 3000K


1A2960300.27.40  
1A2960300.30.40  
1A2960400.27.40  
1A2960400.30.40  
1A2960800.27.40  
1A2960800.30.40  
1A2962600.27.40  
1A2962600.30.40

**Compulsory accessories / Accessori obbligatori**


**Drivers / Alimentatori**



Driver / Alimentatore				Not included
220-240V(100-127V)	350mA/17W(15W)/IP20/DALI	MISS 2	1Z0241180.350	




Driver / Alimentatore				Not included
220-240V(100-127V)	350mA/18W(15W)/IP20/PUSH - 1-10V	MISS 2	1Z0240870.350	




Driver / Alimentatore				Not included
220-240V	350mA/17W/IP20/TRIAC/IGBT	MISS 2	1Z0240850.350	

**Optional accessories / Accessori opzionali**

**Suspension kits / Kit di sospensione**



Decentralization kit / Kit decentratore			Not included
	MISS 1	1A0360000.00.00	



Kit ceiling rose and decentralizer / Kit rosone e decentratore			Not included
Matt White	White cable 3 m included	MISS 1	1A0770300.00.00
Matt Black	Black cable 3 m included	MISS 1	1A0770400.00.00