

# MIRA R

Omar Carraglia / 2015



A tool to light.

The luminaire is pure form, a simple container for the light source.  
Light is incorporated into the space, becoming an architectural element.


# MIRA R

Omar Carraglia / 2015

Recessed / Direct / Indoor

**Material** Metal  
**Finish** .03 Matt White .04 Matt Black .49 Matt Black/Polished Gold

**Note** Recessed luminaire. Adjustable in all directions. Plasterboard hole: 40x40 mm. Minimum space for recessed installation: 60 mm.



## MIRA R

5,6W

Max 500mA DC

2700K - 327lm / 3000K - 352lm

CRI >90

Driver not included

◆ IP20

Matt White - 2700K

Matt White - 3000K

Matt Black - 2700K

Matt Black - 3000K

Matt Black/Polished Gold - 2700K

Matt Black/Polished Gold - 3000K

1A3690308.27.20

1A3690308.30.20

1A3690408.27.20


1A3690408.30.20

1A3694908.27.20

1A3694908.30.20

## Optional accessories

Drivers




**Driver**

220-240V(100-127V) 500mA/20W(15W)/IP20/DALI

Not included

1Z0240860.500



**Driver**

220-240V(100-127V) 500mA/20W(15W)/IP20/PUSH

Not included

1Z0240840.500



