

Recessed luminaire with direct light for outdoor use.

A small black dot that reveals its function only when necessary.

The body is in matt black anodised aluminium.
The glass is available with transparent or black finish.
BUIO is available in the trim version, with visible edge, and the trimless version, without trim.
BUIO is not adjustable.
The specific formwork is required for recessed in-ground installation, while the specific fixing spring is required for recessed ceiling (plasterboard) installation.


The light source is LED with integrated module.
The electric cable is matt black and 1 m long.
The driver is not included but is available as an accessory.
An electric connector is included for outdoor use.

Apparecchio di illuminazione da incasso, a luce diretta, per esterni.

Un piccolo punto nero che svela la sua funzione solo quando necessario.

Il corpo è in alluminio anodizzato nero opaco.
Il vetro è disponibile trasparente o nero.
BUIO è disponibile nella versione trim, con bordo visibile, e trimless, senza battuta.
BUIO non è orientabile.
Per l'installazione ad incasso a terra è obbligatorio l'utilizzo dell'apposita cassaforma mentre per l'installazione ad incasso a soffitto (cartongesso) è obbligatorio l'utilizzo dell'apposita molla di fissaggio.

La sorgente luminosa è a LED e a modulo integrato.
Il cavo elettrico è di colore nero opaco e 1 m di lunghezza.
Il driver non è incluso, ma è disponibile come accessorio.
È incluso un connettore elettrico per esterni.




BUIO TRIM - 13°

Black filter
6,4W
24V DC
2700K - 93lm / 3000K - 93lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5120400.27.20
Matt Black - 3000K	1A5120400.30.20




BUIO TRIM - 25°

Black filter
6,4W
24V DC
2700K - 158lm / 3000K - 158lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5140400.27.20
Matt Black - 3000K	1A5140400.30.20




BUIO TRIM - 32°

Black filter
6,4W
24V DC
2700K - 144lm / 3000K - 144lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5130400.27.20
Matt Black - 3000K	1A5130400.30.20




BUIO TRIM ELLIPTICAL

Black filter
6,4W
24V DC
2700K - 91lm / 3000K - 91lm
CRI >90
UGR <19
Driver not included



Matt Black - 2700K	1A5150400.27.20
Matt Black - 3000K	1A5150400.30.20




BUIO TRIM - 13°

Transparent filter
6,4W
24V DC
2700K - 247lm / 3000K - 247lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5160400.27.20
Matt Black - 3000K	1A5160400.30.20




BUIO TRIM - 25°

Transparent filter
6,4W
24V DC
2700K - 257lm / 3000K - 257lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5180400.27.20
Matt Black - 3000K	1A5180400.30.20




BUIO TRIM - 32°

Transparent filter
6,4W
24V DC
2700K - 297lm / 3000K - 297lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5170400.27.20
Matt Black - 3000K	1A5170400.30.20




BUIO TRIM ELLIPTICAL

Transparent filter
6,4W
24V DC
2700K - 233lm / 3000K - 233lm
CRI >90
UGR <19
Driver not included



Matt Black - 2700K	1A5190400.27.20
Matt Black - 3000K	1A5190400.30.20




BUIO TRIMLESS - 13°

Black filter
6,4W
24V DC
2700K - 93lm / 3000K - 93lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5200400.27.20
Matt Black - 3000K	1A5200400.30.20




BUIO TRIMLESS - 25°

Black filter
6,4W
24V DC
2700K - 158lm / 3000K - 158lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5220400.27.20
Matt Black - 3000K	1A5220400.30.20




BUIO TRIMLESS - 32°

Black filter
6,4W
24V DC
2700K - 144lm / 3000K - 144lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5210400.27.20
Matt Black - 3000K	1A5210400.30.20




BUIO TRIMLESS ELLIPTICAL

Black filter
6,4W
24V DC
2700K - 91lm / 3000K - 91lm
CRI >90
UGR <19
Driver not included



Matt Black - 2700K	1A5230400.27.20
Matt Black - 3000K	1A5230400.30.20




BUIO TRIMLESS - 13°

Transparent filter
6,4W
24V DC
2700K - 247lm / 3000K - 247lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5240400.27.20
Matt Black - 3000K	1A5240400.30.20




BUIO TRIMLESS - 25°

Transparent filter
6,4W
24V DC
2700K - 257lm / 3000K - 257lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5260400.27.20
Matt Black - 3000K	1A5260400.30.20




BUIO TRIMLESS - 32°

Transparent filter
6,4W
24V DC
2700K - 297lm / 3000K - 297lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5250400.27.20
Matt Black - 3000K	1A5250400.30.20



BUIO TRIMLESS ELLIPTICAL


Transparent filter
6,4W
24V DC
2700K - 233lm / 3000K - 233lm
CRI >90
UGR <19
Driver not included



Matt Black - 2700K	1A5270400.27.20
Matt Black - 3000K	1A5270400.30.20

Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione




Installation box / Cassaforma			Not included
Standard	For in-ground installation	1A5280000.00.00	



Ceiling spring / Molla da soffitto			Not included
Standard	For recessed installation on plasterboard ceilings	BUIO TRIM	1A6310000.00.00

Drivers / Alimentatori



Driver / Alimentatore			Not included
110-240V	24V/25W/IP67/ON/OFF	1Z1120620	

Optional accessories / Accessori opzionali

Installation kits / Kit d'installazione



Driver connector IP68 / Connettore driver IP68			Included
	1 Piece	1A1660000.00.00	

