



Davide Groppi / 2018

CARTESIO

Suspension luminaire with direct and indirect light, for indoor use.

A thin, suspended circular mirror with direct and indirect light. The sophisticated clamping system is used to position and angle the disc however you wish.

The roses available are in textured matt black or matt white painted steel. The disc is in mirror-finished aluminium. The back of the mirror is painted in matt black. The disc can be adjusted on the suspension cables. CARTESIO is dual emission.

The sources are LED with an integrated module and can be powered separately. The electric cable is matt white. A range of roses and power supplies are available.

Apparecchio di illuminazione a sospensione, a luce diretta e indiretta, per interni.


Uno specchio circolare sottile e sospeso, a luce diretta e indiretta. Il sofisticato sistema di fissaggio permette di posizionare e inclinare il disco come si desidera.

I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato. Il disco è in alluminio con finitura a specchio. Il retro dello specchio è verniciato nero opaco. Il disco è orientabile agendo sui cavi di sospensione. CARTESIO è a doppia emissione.

Le sorgenti sono a LED e a modulo integrato e alimentabili separatamente. Il cavo elettrico è di colore bianco opaco. Sono disponibili vari rosoni e sistemi di alimentazione.

Finish

.00 Standard




CARTESIO 60

42W
 Max 500mA DC
 2700K - Up 1747lm - Down 1568lm /
 3000K - Up 1864lm - Down 1568lm
 CRI >90
 Driver not included
 2 Drivers required

CE IP20

| | |
|------------------|-----------------|
| Standard - 2700K | 1A6080000.27.20 |
| Standard - 3000K | 1A6080000.30.20 |



CARTESIO 90


42W
 Max 500mA DC
 2700K - Up 1747lm - Down 1568lm /
 3000K - Up 1864lm - Down 1568lm
 CRI >90
 Driver not included
 2 Drivers required

CE IP20


| | |
|------------------|-----------------|
| Standard - 2700K | 1A6090000.27.20 |
| Standard - 3000K | 1A6090000.30.20 |

Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione



| Ceiling rose with driver / Rosone con alimentatore | | Not included |
|--|---|-----------------|
| Matt White | Input 110-240V - 50/60Hz Output 500mA DC - Max 42W IP20 - DALI - PUSH - 1-10V | 1X0270300.02.07 |
| Matt Black | Input 110-240V - 50/60Hz Output 500mA DC - Max 42W IP20 - DALI - PUSH - 1-10V | 1X0270400.02.07 |
| Matt White | Input 220-240V - 50/60Hz Output 400mA DC - Max 42W IP20 - TRIAC/IGBT | 1X0270300.01.02 |
| Matt Black | Input 220-240V - 50/60Hz Output 400mA DC - Max 42W IP20 - TRIAC/IGBT | 1X0270400.01.02 |



| Ceiling rose without driver / Rosone senza alimentatore | | Not included |
|---|---------------------------------|-----------------|
| Matt White | For electrical cables - 1 Piece | 1X0010300.05.00 |
| Matt Black | For electrical cables - 1 Piece | 1X0010400.05.00 |

The sizes are expressed in millimeters.


Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione




| Recessed rose without driver / Rosone da incasso senza alimentatore | | Not included |
|---|---|-----------------|
| Matt White | For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard | 1X0000300.05.00 |
| Matt Black | For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard | 1X0000400.05.00 |

Drivers / Alimentatori



| Driver / Alimentatore | | Not included |
|-----------------------|---------------------------|---------------|
| 220-240V | 400mA/19W/IP20/TRIAC/IGBT | 1Z0240850.400 |




| Driver / Alimentatore | | Not included |
|-----------------------|---|---------------|
| 220-240V(110-127V) | 500mA/25W(13,5W)/IP20/DALI - PUSH - 1-10V | 1Z0241270.500 |


SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI

SUSPENSION LUMINAIRE
code 1AXXXXXXXXXX20

CEILING



OR




CEILING ROSE
WITH DRIVER

OR





+



CEILING ROSE
WITHOUT DRIVER

REMOTE
DRIVER




RECESSED



OR




OR




RECESSED ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

| Version | Use | Product reference | Finish | Code |
|--|-----------------------|---|------------|-----------------|
| Ceiling rose with driver* | | | | |
|  | | See product page. | | |
| Ceiling rose without driver | | | | |
| Ceiling rose without driver 01 | For suspension cables | SOTTILE SOTTILE SISTEMA | Matt White | 1X0010300.01.00 |
| | | | Matt Black | 1X0010400.01.00 |
| Ceiling rose without driver 02 | For electrical cables | MAGIA | Matt White | 1X0010300.02.00 |
| | | | Matt Black | 1X0010400.02.00 |
| Ceiling rose without driver 03 | For suspension cables | MASAI REFLEX S | Matt White | 1X0010300.03.00 |
| | | | Matt Black | 1X0010400.03.00 |
| Ceiling rose without driver 04 | For electrical cables | ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO | Matt White | 1X0010300.04.00 |
| | | | Matt Black | 1X0010400.04.00 |
| Ceiling rose without driver 05 | For electrical cables | CARTESIO LOUIS XIV SOTTOSOPRA | Matt White | 1X0010300.05.00 |
| | | | Matt Black | 1X0010400.05.00 |
| Ceiling rose without driver 06 | For electrical cables | CATHODE MISS OVO OVONELPIATTO | Matt White | 1X0010300.06.00 |
| | | | Matt Black | 1X0010400.06.00 |



SUSPENSION KITS / KIT DI SOSPENSIONE

RECESSED SUSPENSION KITS

| Version | Use | Product reference | Finish | Code |
|---------------------------------|-----------------------|---|------------|-----------------|
| Recessed rose without driver | | | | |
| Recessed rose without driver 01 | For suspension cables | SOTTILE SOTTILE SISTEMA | Matt White | 1X0000300.01.00 |
| | | | Matt Black | 1X0000400.01.00 |
| Recessed rose without driver 02 | For electrical cables | MAGIA | Matt White | 1X0000300.02.00 |
| | | | Matt Black | 1X0000400.02.00 |
| Recessed rose without driver 03 | For suspension cables | MASAI REFLEX S | Matt White | 1X0000300.03.00 |
| | | | Matt Black | 1X0000400.03.00 |
| Recessed rose without driver 04 | For electrical cables | ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO | Matt White | 1X0000300.04.00 |
| | | | Matt Black | 1X0000400.04.00 |
| Recessed rose without driver 05 | For electrical cables | CARTESIO LOUIS XIV SOTTOSOPRA | Matt White | 1X0000300.05.00 |
| | | | Matt Black | 1X0000400.05.00 |
| Recessed rose without driver 06 | For electrical cables | CATHODE MISS OVO OVONELPIATTO | Matt White | 1X0000300.06.00 |
| | | | Matt Black | 1X0000400.06.00 |
| Recessed rose without driver* | | CATHODE MISS OVO OVONELPIATTO | Matt White | 1X0230300.04.00 |
| | | | Matt Black | 1X0230400.04.00 |
| Recessed rose without driver* | | SIMBIOSI | Matt White | 1X0220300.03.00 |
| | | | Matt Black | 1X0220400.03.00 |

