

Suspension luminaire with direct light for indoor use.

The light in the plate is the most beautiful light.
Light understood as an ingredient in the kitchen, used with decisive flair.

The roses available are in textured matt black or matt white painted steel.
The body is in matt white painted aluminium.

The light source is LED with integrated module.
The electric cable is matt white.
In the OVO 1 model the driver is integrated into the rose.
For the OVO 2 model, a range of roses and power supplies are available.
In the OVONELPIATTO 1 model the driver is integrated into the rose.
For the OVONELPIATTO 2 model, a range of roses and power supplies are available.



Finish

.03 Matt White



Custom finish available on request.

OVO / OVONELPIATTO

Massimiliano Alajmo - Raffaele Alajmo / 2010




OVO 1
Ceiling driver version
5,6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
ON/OFF

Matt White - 2700K - ON/OFF	1A6450303.27.00
Matt White - 3000K - ON/OFF	1A6450303.30.00



OVO 1
Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
DALI

Matt White - 2700K - DALI	1A6450303.27.01
Matt White - 3000K - DALI	1A6450303.30.01




OVO 1
Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
1-10V

Matt White - 2700K - 1-10V	1A6450303.27.03
Matt White - 3000K - 1-10V	1A6450303.30.03

Massimiliano Alajmo - Raffaele Alajmo / 2010

OVO / OVONELPIATTO



OVO 1
Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
TRIAC/IGBT

Matt White - 2700K - TRIAC/IGBT	1A6450303.27.02
Matt White - 3000K - TRIAC/IGBT	1A6450303.30.02




OVONELPIATTO 1
Ceiling driver version
5,6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
ON/OFF

Matt White - 2700K - ON/OFF	1A6530303.27.00
Matt White - 3000K - ON/OFF	1A6530303.30.00



OVONELPIATTO 1
Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
DALI


Matt White - 2700K - DALI	1A6530303.27.01
Matt White - 3000K - DALI	1A6530303.30.01



OVONELPIATTO 1

Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
1-10V


Matt White - 2700K - 1-10V	1A6530303.27.03
Matt White - 3000K - 1-10V	1A6530303.30.03



OVONELPIATTO 1

Ceiling driver version
6W
120V - 60Hz
2700K - 352lm / 3000K - 379lm
CRI >90
Driver integrated
TRIAC/IGBT


Matt White - 2700K - TRIAC/IGBT	1A6530303.27.02
Matt White - 3000K - TRIAC/IGBT	1A6530303.30.02



OVO 2

Remote driver version
4W
Max 350mA DC
2700K - 352lm / 3000K - 379lm
CRI >90
Driver not included


Matt White - 2700K	1A6450303.27.20
Matt White - 3000K	1A6450303.30.20



OVONELPIATTO 2

Remote driver version
4W
Max 350mA DC
2700K - 352lm / 3000K - 379lm
CRI >90
Driver not included


Matt White - 2700K	1A6530303.27.20
Matt White - 3000K	1A6530303.30.20



OVO ENDLESS

Endless version only
6,3W - 0,16A
48V DC
2700K - 352lm / 3000K - 379lm
CRI >90
Driver not included
See page ENDLESS

Matt White - 2700K	1A6450303.27.40
Matt White - 3000K	1A6450303.30.40



OVONELPIATTO ENDLESS

Endless version only
6,3W - 0,16A
48V DC
2700K - 352lm / 3000K - 379lm
CRI >90
Driver not included
See page ENDLESS

Matt White - 2700K	1A6530303.27.40
Matt White - 3000K	1A6530303.30.40

Compulsory accessories


Suspension kits



Ceiling rose without driver			Not included
Matt White	For electrical cables - 1 Piece	OVO 2 / OVONELPIATTO 2 1X0010300.06.00	
Matt Black	For electrical cables - 1 Piece	OVO 2 / OVONELPIATTO 2 1X0010400.06.00	




Recessed rose without driver			Not included
Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 1.73" Minimum space for mounting 2.76" For 0.49" plasterboard	OVO 2 / OVONELPIATTO 2 1X0000300.07.00	
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 1.73" Minimum space for mounting 2.76" For 0.49" plasterboard	OVO 2 / OVONELPIATTO 2 1X0000400.07.00	




Wall adapter plate			Not included
Matt White		OVO 2 / OVONELPIATTO 2 1X0050300.01.00	

Drivers



Driver			Not included
220-240V(100-127V)	350mA/17W(15W)/IP20/DALI	OVO 2 / OVONELPIATTO 2 1Z0241180.350	



Driver			Not included
220-240V(100-127V)	350mA/18W(15W)/IP20/PUSH - 1-10V	OVO 2 / OVONELPIATTO 2 1Z0240870.350	

