

Suspension luminaire with direct light for indoor use.

The light in the plate is the most beautiful light.
Light understood as an ingredient in the kitchen, used with decisive flair.

The roses available are in textured matt black or matt white painted steel.
The body is in matt white painted aluminium.

The light source is LED with integrated module.
The electric cable is matt white.
A range of roses and power supplies are available.

Apparecchio di illuminazione a sospensione, a luce diretta, per interni.

La luce nel piatto è la luce più bella.
La luce intesa come ingrediente della cucina, usata con garbo, ma nello stesso tempo con decisione.

I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato.
Il corpo è in alluminio verniciato bianco opaco.

La sorgente luminosa è a LED e a modulo integrato.
Il cavo elettrico è di colore bianco opaco.
Sono disponibili vari rosoni e sistemi di alimentazione.




Finish

.03 Matt White



Custom finish available on request.
Finitura personalizzata su richiesta.




OVO
 4W
 Max 350mA DC
 2700K - 352lm / 3000K - 379lm
 CRI >90
 Driver not included
 CE IP20

Matt White - 2700K	1A6450300.27.20
Matt White - 3000K	1A6450300.30.20



OVO ENDLESS
 Endless version only
 6,3W - 0,16A
 48V DC
 2700K - 352lm / 3000K - 379lm
 CRI >90
 Driver not included
 See page ENDLESS
 CE IP20 TE

Matt White - 2700K	1A6450300.27.40
Matt White - 3000K	1A6450300.30.40



OVONELPIATTO
 4W
 Max 350mA DC
 2700K - 352lm / 3000K - 379lm
 CRI >90
 Driver not included
 CE IP20

Matt White - 2700K	1A6530300.27.20
Matt White - 3000K	1A6530300.30.20




OVONELPIATTO ENDLESS
 Endless version only
 6,3W - 0,16A
 48V DC
 2700K - 352lm / 3000K - 379lm
 CRI >90
 Driver not included
 See page ENDLESS
 CE IP20 TE


Matt White - 2700K	1A6530300.27.40
Matt White - 3000K	1A6530300.30.40

Compulsory accessories / Accessori obbligatori


Suspension kits / Kit di sospensione



Ceiling rose with driver / Rosone con alimentatore				Not included
Matt White	Input 100-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - ON/OFF	OVO / OVONELPIATTO	1X0230300.01.00	
Matt Black	Input 100-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - ON/OFF	OVO / OVONELPIATTO	1X0230400.01.00	



Ceiling rose with driver / Rosone con alimentatore				Not included
Matt White	Input 110-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - DALI - PUSH - 1-10V	OVO / OVONELPIATTO	1X0230300.02.07	
Matt Black	Input 110-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - DALI - PUSH - 1-10V	OVO / OVONELPIATTO	1X0230400.02.07	
Matt White	Input 220-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - TRIAC/IGBT	OVO / OVONELPIATTO	1X0230300.03.02	
Matt Black	Input 220-240V - 50/60Hz Output 350mA DC - Max 4W IP20 - TRIAC/IGBT	OVO / OVONELPIATTO	1X0230400.03.02	




Ceiling rose without driver / Rosone senza alimentatore				Not included
Matt White	For electrical cables - 1 Piece	OVO / OVONELPIATTO	1X0010300.06.00	
Matt Black	For electrical cables - 1 Piece	OVO / OVONELPIATTO	1X0010400.06.00	

Compulsory accessories / Accessori obbligatori


Suspension kits / Kit di sospensione

**Recessed rose without driver / Rosone da incasso senza alimentatore** Not included

Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	OVO / OVONELPIATTO	1X0000300.06.00
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	OVO / OVONELPIATTO	1X0000400.06.00


**Recessed rose without driver / Rosone da incasso senza alimentatore** Not included

Matt White	Plasterboard cut-out 85x97 mm Minimum space for mounting 120 mm For 12,5 mm plasterboard	OVO / OVONELPIATTO	1X0230300.04.00
Matt Black	Plasterboard cut-out 85x97 mm Minimum space for mounting 120 mm For 12,5 mm plasterboard	OVO / OVONELPIATTO	1X0230400.04.00


**BINARIO TRIFASE adapter / Adattatore per BINARIO TRIFASE** Not included

Matt White	Input 220-240V - 50/60Hz Output 350mA DC - Max 14,7W IP20 - DALI	OVO / OVONELPIATTO	1X0230300.05.01
Matt Black	Input 220-240V - 50/60Hz Output 350mA DC - Max 14,7W IP20 - DALI	OVO / OVONELPIATTO	1X0230400.05.01

Drivers / Alimentatori

**Driver / Alimentatore** Not included


220-240V	350mA/17W/IP20/TRIAC/IGBT	OVO / OVONELPIATTO	1Z0240850.350
----------	---------------------------	--------------------	---------------

**Driver / Alimentatore** Not included


220-240V(110-127V)	350mA/18,9W(13,5W)/IP20/DALI - PUSH - 1-10V	OVO / OVONELPIATTO	1Z0241270.350
--------------------	--	--------------------	---------------

Optional accessories / Accessori opzionali

Suspension kits / Kit di sospensione

**Decentralization kit / Kit decentratore** Not included

		OVO / OVONELPIATTO	1A0360000.00.00
--	--	--------------------	-----------------

**Kit ceiling rose and decentralizer / Kit rosone e decentratore** Not included


Matt White	Transparent cable 3 m included	OVO / OVONELPIATTO	1A0770300.00.00
Matt Black	Transparent cable 3 m included	OVO / OVONELPIATTO	1A0770400.00.00




SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI

SUSPENSION LUMINAIRE
code 1AXXXXXXXXXX20

CEILING



OR




CEILING ROSE
WITH DRIVER

OR





CEILING ROSE
WITHOUT DRIVER

+



REMOTE
DRIVER




RECESSED



OR




OR




RECESSED ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Ceiling rose with driver*				
		See product page.		
Ceiling rose without driver				
Ceiling rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0010300.01.00 1X0010400.01.00
Ceiling rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0010300.02.00 1X0010400.02.00
Ceiling rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0010300.03.00 1X0010400.03.00
Ceiling rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White Matt Black	1X0010300.04.00 1X0010400.04.00
Ceiling rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0010300.05.00 1X0010400.05.00
Ceiling rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White Matt Black	1X0010300.06.00 1X0010400.06.00

RECESSED SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Recessed rose without driver				
Recessed rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0000300.01.00 1X0000400.01.00
Recessed rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0000300.02.00 1X0000400.02.00
Recessed rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0000300.03.00 1X0000400.03.00
Recessed rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White Matt Black	1X0000300.04.00 1X0000400.04.00
Recessed rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0000300.05.00 1X0000400.05.00
Recessed rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White Matt Black	1X0000300.06.00 1X0000400.06.00
Recessed rose without driver*		CATHODE MISS OVO OVONELPIATTO	Matt White Matt Black	1X0230300.04.00 1X0230400.04.00
Recessed rose without driver*		SIMBIOSI	Matt White Matt Black	1X0220300.03.00 1X0220400.03.00

