


BINARIO TRIFASE

/ 2007



Pure line in space.
Our Sistema track holds the light solutions Dot and Spot.

Power right connector and power left connector installation




Systems / Direct / Indoor

Material	Metal - Polycarbonate		
Finish	.03 Matt White	.04 Matt Black	.39 Matt White/Polished Gold
			.49 Matt Black/Polished Gold


Note Ceiling and wall track system.

Compulsory accessories

Installation kits



Track 39.37"	Not included
Matt White	1A2800303.01.00
Matt Black	1A2800403.01.00



Track 78.74"	Not included
Matt White	1A2800303.02.00
Matt Black	1A2800403.02.00



End cap	Not included
Matt White	1A2800300.07.00
Matt Black	1A2800400.07.00

Connectors



Power right connector	Not included
Matt White	1A2800303.13.00
Matt Black	1A2800403.13.00



Power left connector	Not included
Matt White	1A2800303.12.00
Matt Black	1A2800403.12.00

Optional accessories

Installation kits



Linear jointing connector		Not included
Matt White	1A2800300.11.00	
Matt Black	1A2800400.11.00	



Linear insulating connector		Not included
Matt White	1A2800300.19.00	
Matt Black	1A2800400.19.00	



Internal L connector		Not included
Matt White	1A2800303.09.00	
Matt Black	1A2800403.09.00	



External L connector		Not included
Matt White	1A2800303.08.00	
Matt Black	1A2800403.08.00	



Right T connector		Not included
Matt White	1A2800303.14.00	
Matt Black	1A2800403.14.00	



Left T connector		Not included
Matt White	1A2800303.10.00	
Matt Black	1A2800403.10.00	



X connector		Not included
Matt White	1A2800303.15.00	
Matt Black	1A2800403.15.00	



Adjustable suspension cable		Not included
Length 59.05"	1A2800000.04.00	
Length 118.11"	1A2800000.05.00	
Length 196.85"	1A2800000.06.00	




Cutting tool		Not included
	1A2800000.17.00	



Compulsory accessories


Luminaires



DOT BINARIO

13W
120V - 60Hz
2700K / 3000K
CRI >97
Driver integrated
1-10V

Matt White - 2700K - 1-10V	1A2290303.27.03
Matt White - 3000K - 1-10V	1A2290303.30.03
Matt Black - 2700K - 1-10V	1A2290403.27.03
Matt Black - 3000K - 1-10V	1A2290403.30.03
Matt White/Polished Gold - 2700K - 1-10V	1A2293903.27.03
Matt White/Polished Gold - 3000K - 1-10V	1A2293903.30.03
Matt Black/Polished Gold - 2700K - 1-10V	1A2294903.27.03
Matt Black/Polished Gold - 3000K - 1-10V	1A2294903.30.03



SPOT BINARIO

21W
120V - 60Hz
Driver integrated
1-10V
LED Module not included

Matt White - 1-10V	1A0280303.00.03
Matt Black - 1-10V	1A0280403.00.03
Matt White/Polished Gold - 1-10V	1A0283903.00.03
Matt Black/Polished Gold - 1-10V	1A0284903.00.03


Compulsory accessories

Other accessories



Lens		Not included	
Beam - 14°	2700K - CRI >97 - 983lm 3000K - CRI >97 - 1038lm	DOT BINARIO	1A3090000.00.00
Beam - 24°	2700K - CRI >97 - 943lm 3000K - CRI >97 - 996lm	DOT BINARIO	1A3100000.00.00
Beam - 36°	2700K - CRI >97 - 955lm 3000K - CRI >97 - 1005lm	DOT BINARIO	1A3110000.00.00
Beam - 50°	2700K - CRI >97 - 965lm 3000K - CRI >97 - 1016lm	DOT BINARIO	1A3120000.00.00


LED modules



DG111 LED Module		Not included	
13,5W - 15° - 400mA DC 2700K - 1318lm - CRI >90 Energy Efficiency F - Dimmable	SPOT BINARIO	1A4700003.27.20	
13,5W - 15° - 400mA DC 3000K - 1345lm - CRI >90 Energy Efficiency F - Dimmable		1A4700003.30.20	




DG111 LED module		Not included	
13,5W - 22° - 400mA DC 2700K - 1502lm - CRI >90 Energy Efficiency F - Dimmable	SPOT BINARIO	1A3890003.27.20	
13,5W - 22° - 400mA DC 3000K - 1570lm - CRI >90 Energy Efficiency F - Dimmable		1A3890003.30.20	




DG111 LED module		Not included	
13,5W - 36° - 400mA DC 2700K - 1451lm - CRI >90 Energy Efficiency F - Dimmable	SPOT BINARIO	1A3900003.27.20	
13,5W - 36° - 400mA DC 3000K - 1527lm - CRI >90 Energy Efficiency F - Dimmable		1A3900003.30.20	

Optional accessories


Other accessories




Accessory holder + Honeycomb louvre				Not included
		DOT BINARIO	1X0080400.01.00	




Elliptical filter				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.02.00	



Blue filter				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.03.00	



Red filter				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.04.00	



Yellow filter				Not included
Standard	Compulsory with 1X0080400.01.00	DOT BINARIO	1X0080000.05.00	

