





The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - 2018
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE  IP 20

SPOT ENDLESS





1A10703	BIANCO OPACO / MATT WHITE	48 V DC - MAX 12,6 W LED MAX 7 SPOT SU ENDLESS KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO MODULO LED NON INCLUSO ACCESSORI OPZIONALI MODULO LED NON INCLUSI MAX 7 SPOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED LED MODULE NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED
1A10704	NERO OPACO / MATT BLACK	




DESIGN DAVIDE GROPPI - 2018
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE  IP 20

SPOT ENDLESS IOT




1A10803	BIANCO OPACO / MATT WHITE	48 V DC - MAX 12,6 W LED MAX 7 SPOT SU ENDLESS
1A10804	NERO OPACO / MATT BLACK	DIMMERABILE CON CONTROLLO WIRELESS SOLO TRAMITE APP DEDICATA by DAVIDE GROPPI
		KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		MODULO LED NON INCLUSO
		ACCESSORI OPZIONALI MODULO LED NON INCLUSI
		MAX 7 SPOT ON ENDLESS
		DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		LED MODULE NOT INCLUDED
		OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED



The sizes are expressed in millimeters.

CE IP 20




199903	BIANCO OPACO / MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
199904	NERO OPACO / MATT BLACK - 5 m		
1A00503	BIANCO OPACO / MATT WHITE - 10 m		
1A00504	NERO OPACO / MATT BLACK - 10 m		

1A03700	STANDARD	KIT FISSAGGIO PARETI RUVIDE / FIXING ROUGH WALLS KIT - 2,5 m	
---------	----------	--	--


196103	BIANCO OPACO / MATT WHITE	BOX MORSETTI CON 2 MORSETTI INCLUSI TERMINAL BOX WITH 2 TERMINALS INCLUDED	
196104	NERO OPACO / MATT BLACK		

1A00303	BIANCO OPACO / MATT WHITE	BASE ALIMENTAZIONE / POWER BASE	
1A00304	NERO OPACO / MATT BLACK		


196900	STANDARD	MORSETTI - 2 PEZZI / TERMINALS - 2 PIECES	
--------	----------	---	--



KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT DI ALIMENTAZIONE REMOTO / REMOTE POWER SUPPLY KIT



KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS ON/OFF - SPOT ENDLESS IOT - DOT ENDLESS IOT / COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT **CE IP 20**


1A02604	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W NON DIMMERABILE - NOT DIMMABLE	
---------	-------------------------	--	--


1A10203	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 NON DIMMERABILE - NOT DIMMABLE	
---------	---------------------------	---	--

KIT ALIMENTAZIONE OBBLIGATORIO PER DIMMERAZIONE SPOT ENDLESS E DOT ENDLESS / COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS


1A18004	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W DIMMERABILE - DIMMABLE	
---------	-------------------------	--	--

1A18103	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
---------	---------------------------	--	--







NETWORK



GROUPS



DYNAMIC SCENES




DISCOVER



davide groppi IOT

C O N T R O L A P P





CODE	SOCKET	TENSION	WATTAGE	BEAM ANGLE (°)	TEMPERATURE (K)	SOURCE LUMENS	BULB EFFICIENCY	CRI (Ra)	DIMMABLE	PRODUCT REFERENCE
------	--------	---------	---------	----------------	-----------------	---------------	-----------------	----------	----------	-------------------

LAMPADINE LED SORAA MR16 - DIMMERABILE IGBT / SORAA LED BULBS MR16 - IGBT DIMMABLE

🔔	51580010	GU10	230 V	7,5 W	10°	3000K	410 lm	A	95	X	DOT P DOT PL DOT R DOT SISTEMA MINI 51 MINI BIT 51 MINI PL TRICK TRACK
	51580210	GU10	230 V	7,5 W	10°	2700K	390 lm	A	95	X	DOT P DOT PL DOT R DOT SISTEMA MINI 51 MINI BIT 51 MINI PL TRICK TRACK

ACCESSORI "POINT SOURCE OPTICS" PER GENERARE FASCI UNIFORMI E DI ALTA INTENSITA' / "POINT SOURCE OPTICS" ACCESSORIES FOR UNIFORM AND HIGH INTENSITY BEAMS

51580020	FILTER - MR16			25°							DOT FRAMELESS DOT P DOT PL DOT R
51580030	FILTER - MR16			36°							DOT SISTEMA MINI MINI 51 MINI BIT MINI BIT 51 MINI PL TRICK TRACK
51580040	DARKLIGHT - MR16			-							DOT SISTEMA MINI MINI 51 MINI BIT MINI BIT 51 MINI PL TRICK TRACK

MODULI LED / LED MODULES

50041500	500 mA DC	18 W	15°	3000K	1829 lm	A+	90	X	PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT SISTEMA
50041510	500 mA DC	18 W	15°	2700K	1719 lm	A+	90	X	
50041350	500 mA DC	18 W	24°	3000K	1869 lm	A+	90	X	
50041450	500 mA DC	18 W	24°	2700K	1759 lm	A+	90	X	
50041500	350 mA DC	12,6 W	15°	3000K	1350 lm	A+	90	X	SPOT ENDLESS SPOT ENDLESS IOT
50041510	350 mA DC	12,6 W	15°	2700K	1269 lm	A+	90	X	
50041350	350 mA DC	12,6 W	24°	3000K	1361 lm	A+	90	X	
50041450	350 mA DC	12,6 W	24°	2700K	1281 lm	A+	90	X	

ACCESSORI OPZIONALI MODULO LED / OPTIONAL LED MODULE ACCESSORIES

1A12100	STANDARD			DARKLIGHT						PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT ENDLESS SPOT ENDLESS IOT SPOT SISTEMA
---------	----------	--	--	-----------	--	--	--	--	--	---