





The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPI - 2020  
WALL AND CEILING LAMP - METAL

DOT ENDLESS



1A0330303	MATT WHITE - 3000K	48 V DC - 13 W LED
1A0330303-27	MATT WHITE - 2700K	3000K - 1038 lm - CRI 97 / 2700K - 983 lm - CRI 97 WITH LENS 1A1640003
1A0330403	MATT BLACK - 3000K	3000K - 996 lm - CRI 97 / 2700K - 943 lm - CRI 97 WITH LENS 1A1650003
1A0330403-27	MATT BLACK - 2700K	MAX 5 DOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED COMPULSORY ACCESSORIES NOT INCLUDED



COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	



DESIGN DAVIDE GROPPI - 2020  
WALL AND CEILING LAMP - METAL

DOT ENDLESS IOT




1A1460303	MATT WHITE - 3000K	48 V DC - 14 W LED
1A1460303-27	MATT WHITE - 2700K	3000K - 1038 lm - CRI 97 / 2700K - 983 lm - CRI 97 WITH LENS 1A1640003
1A1460403	MATT BLACK - 3000K	3000K - 996 lm - CRI 97 / 2700K - 943 lm - CRI 97 WITH LENS 1A1650003
1A1460403-27	MATT BLACK - 2700K	MAX 5 DOT ON ENDLESS
		DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		COMPULSORY ACCESSORIES NOT INCLUDED


COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	





The sizes are expressed in millimeters / inches.



19990303	MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
19990403	MATT BLACK - 5 m		
1A0050303	MATT WHITE - 10 m		
1A0050403	MATT BLACK - 10 m		

1A0370003	STANDARD	FIXING ROUGH WALLS KIT - 2,5 m	
-----------	----------	--------------------------------	--


19610303	MATT WHITE	TERMINAL BOX WITH 2 TERMINALS INCLUDED	
19610403	MATT BLACK		

1A0030303	MATT WHITE	POWER BASE	
1A0030403	MATT BLACK		


19690003	STANDARD	TERMINALS - 2 PIECES	
----------	----------	----------------------	--

1A0810303	MATT WHITE	POWER BASE - REMOTE VERSION	
1A0810403	MATT BLACK		


POWER SUPPLY KIT WITH PLUG



WALL AND CEILING ROSE KIT



REMOTE POWER SUPPLY KIT



The sizes are expressed in millimeters / inches.

COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT


1A0260403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W NOT DIMMABLE	

1A1020303	MATT WHITE	WALL-CEILING ROSE-REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 NOT DIMMABLE	


COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS

1A1800403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W DIMMABLE	


1A1810303	MATT WHITE	WALL-CEILING ROSE-REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	




NETWORK



GROUPS



DYNAMIC SCENES



DISCOVER



**davide groppi** IOT

C O N T R O L   A P P

