


The sizes are expressed in millimeters.

DESIGN OMAR CARRAGLIA - 2006  
SUSPENSION LAMP - METAL



MISS 1


CEILING ROSE



16100303	MATT WHITE - 3000K	120 V - 60 Hz - 5,5 W LED - 312 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT
16100303-27	MATT WHITE - 2700K	
16100403	MATT BLACK - 3000K	
16100403-27	MATT BLACK - 2700K	
16100803	BRUSHED BRASS - 3000K	120 V - 60 Hz - 5,5 W LED - 312 lm - CRI > 90 BLACK CABLE - BLACK CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT
16100803-27	BRUSHED BRASS - 2700K	




CEILING ROSE







16110303	MATT WHITE - 3000K	MAX 350 mA DC - MAX 4 W LED - 312 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE
16110303-27	MATT WHITE - 2700K	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
16110403	MATT BLACK - 3000K	PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 350 mA DC - NOT DIMMABLE
16110403-27	MATT BLACK - 2700K	
16110803	BRUSHED BRASS - 3000K	MAX 350 mA DC - MAX 4 W LED - 312 lm - CRI > 90 BLACK CABLE - BLACK CEILING ROSE
16110803-27	BRUSHED BRASS - 2700K	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
		PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 350 mA DC - NOT DIMMABLE





OPTIONAL ACCESSORIES

1A0510003	STANDARD	SLOPED CEILING FIXING KIT	
		COMPATIBLE LAMPS: QuiQuoQua - MASAI - FOSBURY - MOON 120	
1A0520003	STANDARD	SLOPED ROSE FIXING KIT	
		COMPATIBLE LAMPS: MOON 60 - MOON 60 DE - MOON 80	
1A0530003	STANDARD	SLOPED CEILING FIXING HOOK	
		COMPATIBLE LAMPS: MERIDIANA - SIMBIOSI - SHANGHAI	
17270303	MATT WHITE	CLAMP	
17270403	MATT BLACK		