

The sizes are expressed in millimeters / inches.



DESIGN OMAR CARRAGLIA - 2006
SUSPENSION LAMP - METAL

UL certification pending


MISS 1


 ENDLESS SYSTEM VERSION AVAILABLE

CEILING ROSE



1A2960303.27.00	MATT WHITE - 2700K - ON/OFF	120 V - 60 Hz - 5,6 W LED
1A2960303.30.00	MATT WHITE - 3000K - ON/OFF	2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2960403.27.00	MATT BLACK - 2700K - ON/OFF	WHITE CABLE - WHITE CEILING ROSE
1A2960403.30.00	MATT BLACK - 3000K - ON/OFF	
1A2960803.27.00	BRUSHED BRASS - 2700K - ON/OFF	120 V - 60 Hz - 5,6 W LED
1A2960803.30.00	BRUSHED BRASS - 3000K - ON/OFF	2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90
1A2962603.27.00	MATT TOTAL BLACK - 2700K - ON/OFF	BLACK CABLE - BLACK CEILING ROSE
1A2962603.30.00	MATT TOTAL BLACK - 3000K - ON/OFF	





DIMMABLE VERSIONS

1A2960303.27.01	MATT WHITE - 2700K - DALI	120 V - 60 Hz - 5,6 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90 WHITE CABLE - WHITE CEILING ROSE - DIMMABLE
1A2960303.30.01	MATT WHITE - 3000K - DALI	
1A2960303.27.02	MATT WHITE - 2700K - TRIAC	
1A2960303.30.02	MATT WHITE - 3000K - TRIAC	
1A2960303.27.03	MATT WHITE - 2700K - 1-10 V	
1A2960303.30.03	MATT WHITE - 3000K - 1-10 V	
1A2960303.27.04	MATT WHITE - 2700K - PUSH	
1A2960303.30.04	MATT WHITE - 3000K - PUSH	
1A2960403.27.01	MATT BLACK - 2700K - DALI	
1A2960403.30.01	MATT BLACK - 3000K - DALI	
1A2960403.27.02	MATT BLACK - 2700K - TRIAC	
1A2960403.30.02	MATT BLACK - 3000K - TRIAC	
1A2960403.27.03	MATT BLACK - 2700K - 1-10 V	
1A2960403.30.03	MATT BLACK - 3000K - 1-10 V	
1A2960403.27.04	MATT BLACK - 2700K - PUSH	
1A2960403.30.04	MATT BLACK - 3000K - PUSH	
1A2960803.27.01	BRUSHED BRASS - 2700K - DALI	120 V - 60 Hz - 5,6 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90 BLACK CABLE - BLACK CEILING ROSE - DIMMABLE OPTIONAL
1A2960803.30.01	BRUSHED BRASS - 3000K - DALI	
1A2960803.27.02	BRUSHED BRASS - 2700K - TRIAC	
1A2960803.30.02	BRUSHED BRASS - 3000K - TRIAC	
1A2960803.27.03	BRUSHED BRASS - 2700K - 1-10 V	
1A2960803.30.03	BRUSHED BRASS - 3000K - 1-10 V	
1A2960803.27.04	BRUSHED BRASS - 2700K - PUSH	
1A2960803.30.04	BRUSHED BRASS - 3000K - PUSH	
1A2962603.27.01	MATT TOTAL BLACK - 2700K - DALI	
1A2962603.30.01	MATT TOTAL BLACK - 3000K - DALI	
1A2962603.27.02	MATT TOTAL BLACK - 2700K - TRIAC	
1A2962603.30.02	MATT TOTAL BLACK - 3000K - TRIAC	
1A2962603.27.03	MATT TOTAL BLACK - 2700K - 1-10 V	
1A2962603.30.03	MATT TOTAL BLACK - 3000K - 1-10 V	
1A2962603.27.04	MATT TOTAL BLACK - 2700K - PUSH	
1A2962603.30.04	MATT TOTAL BLACK - 3000K - PUSH	




The sizes are expressed in millimeters / inches.

DESIGN OMAR CARRAGLIA - 2006
SUSPENSION LAMP - METAL

UL certification pending

MISS 2

CEILING ROSE



1A2970303.27.00	MATT WHITE - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90
1A2970303.30.00	MATT WHITE - 3000K - ON/OFF	WHITE CABLE - WHITE CEILING ROSE
1A2970403.27.00	MATT BLACK - 2700K - ON/OFF	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
1A2970403.30.00	MATT BLACK - 3000K - ON/OFF	PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz
1A2970803.27.00	BRUSHED BRASS - 2700K - ON/OFF	MAX 350 mA DC - 4 W LED 2700K - 312 lm - CRI>90 / 3000K - 312 lm - CRI>90
1A2970803.30.00	BRUSHED BRASS - 3000K - ON/OFF	BLACK CABLE - BLACK CEILING ROSE
1A2972603.27.00	MATT TOTAL BLACK - 2700K - ON/OFF	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
1A2972603.30.00	MATT TOTAL BLACK - 3000K - ON/OFF	PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES INDEPENDENT DRIVER INPUT 100-240 V - 50/60 Hz